

Refine Search**Search Results**

Terms	Documents
L46 and L54	0

Exar
WES
2.5.**Database:**

- US Pre-Grant Publication Full-Text Database**
- US Patents Full-Text Database**
- US Patents OCR Backfile
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index

Search Type: **Prior Art** **Interference****Search:**

L57

Refine Search**Recall Text****Clear****Interrupt****Search History****DATE:** Tuesday, October 27, 2009 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>
Side by Side	

<u>Hit Count</u>	<u>Set Name</u>	<u>Set Name</u>
	Result Set	Grid

Prior Art Searches

DB=PGPB,USPT; PLUR=NO; OP=ADJ

<u>L57</u>	L46 and L54	0	<u>L57</u>	<u>L57</u>
<u>L56</u>	L45 and L54	0	<u>L56</u>	<u>L56</u>
<u>L55</u>	L44 and L54	0	<u>L55</u>	<u>L55</u>
<u>L54</u>	L16 and L53	79	<u>L54</u>	<u>L54</u>

<u>L53</u>	(mannitol or sorbitol or cyclitol or inositol) with (wt)	2005	<u>L53</u>	<u>L53</u>
<u>L52</u>	L43 and L46	13	<u>L52</u>	<u>L52</u>
<u>L51</u>	L43 and L45	0	<u>L51</u>	<u>L51</u>
<u>L50</u>	L43 and L44	0	<u>L50</u>	<u>L50</u>
<u>L49</u>	L40 and L44	0	<u>L49</u>	<u>L49</u>
<u>L48</u>	L40 and L45	0	<u>L48</u>	<u>L48</u>
<u>L47</u>	L40 and L46	22	<u>L47</u>	<u>L47</u>
<u>L46</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) with (w/v)	7162	<u>L46</u>	<u>L46</u>
<u>L45</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) with (wt/vol)	393	<u>L45</u>	<u>L45</u>
<u>L44</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) with (weight/volume)	245	<u>L44</u>	<u>L44</u>
<u>L43</u>	L16 and L35	108	<u>L43</u>	<u>L43</u>
<u>L42</u>	L16 and L36	0	<u>L42</u>	<u>L42</u>
<u>L41</u>	L16 and L38	0	<u>L41</u>	<u>L41</u>
<u>L40</u>	L16 and L39	1700	<u>L40</u>	<u>L40</u>
<u>L39</u>	(mannitol or sorbitol or cyclitol or inositol) with (weight)	19441	<u>L39</u>	<u>L39</u>
<u>L38</u>	(mannitol or sorbitol or cyclitol or inositol) with (weight/volume)	81	<u>L38</u>	<u>L38</u>
<u>L37</u>	(mannitol or sorbitol or cyclitol or inositol) with (weight/volume)	0	<u>L37</u>	<u>L37</u>
<u>L36</u>	(mannitol or sorbitol or cyclitol or inositol) with (wt/vol)	41	<u>L36</u>	<u>L36</u>
<u>L35</u>	(mannitol or sorbitol or cyclitol or inositol) with (w/v)	1955	<u>L35</u>	<u>L35</u>
<u>L34</u>	L18 and L30	0	<u>L34</u>	<u>L34</u>
<u>L33</u>	L18 and L32	2	<u>L33</u>	<u>L33</u>

<u>L32</u>	L16 and L31	54	<u>L32</u>	<u>L32</u>
<u>L31</u>	(mannitol or sorbitol or cyclitol or inositol) near (w/v)	961	<u>L31</u>	<u>L31</u>
<u>L30</u>	L16 and L29	27	<u>L30</u>	<u>L30</u>
<u>L29</u>	(mannitol or sorbitol or cyclitol or inositol) near (weight)	1270	<u>L29</u>	<u>L29</u>
<u>L28</u>	L16 and L27	0	<u>L28</u>	<u>L28</u>
<u>L27</u>	(mannitol or sorbitol or cyclitol or inositol) near (wt/vol)	7	<u>L27</u>	<u>L27</u>
<u>L26</u>	L16 and L25	0	<u>L26</u>	<u>L26</u>
<u>L25</u>	(mannitol or sorbitol or cyclitol or inositol) near (weight/volume)	11	<u>L25</u>	<u>L25</u>
<u>L24</u>	L16 and L21	370	<u>L24</u>	<u>L24</u>
<u>L23</u>	L16 and L22	3	<u>L23</u>	<u>L23</u>
<u>L22</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (weight/volume)	62	<u>L22</u>	<u>L22</u>
<u>L21</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (w/v)	3402	<u>L21</u>	<u>L21</u>
<u>L20</u>	(mannitol or sorbitol or cyclitol or inositol) near (wt/vol)	7	<u>L20</u>	<u>L20</u>
<u>L19</u>	L13 and L16	3	<u>L19</u>	<u>L19</u>
<u>L18</u>	L14 and L16	370	<u>L18</u>	<u>L18</u>
<u>L17</u>	L15 and L16	6	<u>L17</u>	<u>L17</u>
<u>L16</u>	(L1) and (EPO or erythropoietin)	22427	<u>L16</u>	<u>L16</u>
<u>L15</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (wt/vol)	163	<u>L15</u>	<u>L15</u>
<u>L14</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (w/v)	3402	<u>L14</u>	<u>L14</u>

<u>L13</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (weight/volume)	62	<u>L13</u>	<u>L13</u>
<u>L12</u>	(L11) and (EPO or erythropoietin)	17	<u>L12</u>	<u>L12</u>
<u>L11</u>	L1 and L7	85	<u>L11</u>	<u>L11</u>
<u>L10</u>	(L9) and (EPO or erythropoietin)	2	<u>L10</u>	<u>L10</u>
<u>L9</u>	L1 and L8	47	<u>L9</u>	<u>L9</u>
<u>L8</u>	L2 and L6	53	<u>L8</u>	<u>L8</u>
<u>L7</u>	L5 and L6	122	<u>L7</u>	<u>L7</u>
<u>L6</u>	(propylene glycol or polyethylene glycol or glycerol or polypropylene glycol) near (wt/vol or weight/volume or weight/mass or w/v)	3614	<u>L6</u>	<u>L6</u>
<u>L5</u>	(mannitol or sorbitol or cyclitol or inositol) with (weight)	19441	<u>L5</u>	<u>L5</u>
<u>L4</u>	(mannitol or sorbitol or cyclitol or inositol) with (by weight)	0	<u>L4</u>	<u>L4</u>
<u>L3</u>	(mannitol or sorbitol or cyclitol or inositol) with (by) with (weight)	0	<u>L3</u>	<u>L3</u>
<u>L2</u>	(mannitol or sorbitol or cyclitol or inositol) near (wt/vol or weight/volume or weight/mass or w/v)	976	<u>L2</u>	<u>L2</u>
<u>L1</u>	(formulation\$ or composition\$ or solution \$ or pharmaceutical\$ or preparation\$).ti. or (formulation\$ or composition\$ or solution\$ or pharmaceutical\$ or preparation\$).ab. or (formulation\$ or composition\$ or solution\$ or pharmaceutical\$ or preparation\$).clm.	1004621	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY